

## Could your cat have a dangerous, hidden disease?

Your veterinarian is the best source of information on the prevention, diagnosis and management of FIV or FeLV infection. Routine visits to your veterinarian can help you know if your cat is sick. Early detection offers infected cats the best chance for long and happy lives, and helps prevent the spread of infection to other cats.



**About Your Cat** **Name:** \_\_\_\_\_  
**Age:** \_\_\_\_\_ **Sex:** \_\_\_ male \_\_\_ female  
**Is your cat neutered/spayed?** \_\_\_ yes \_\_\_ no \_\_\_ not sure

**Observations** **How long ago was your last visit to your veterinarian?**  
 \_\_\_ less than 1 year \_\_\_ 1-2 years \_\_\_ 2+ years \_\_\_ never been

**Is your cat primarily an indoor cat or an outdoor cat?**  
 \_\_\_ always indoors \_\_\_ mostly indoors \_\_\_ mostly outdoors \_\_\_ always outdoors

**Has your cat been vaccinated for FIV?** \_\_\_ yes \_\_\_ no \_\_\_ not sure

**Has your cat been vaccinated for FeLV?** \_\_\_ yes \_\_\_ no \_\_\_ not sure

**Do any of these situations apply to your cat? Please check all that apply:**

- \_\_\_ Has never been tested for FIV/FeLV
- \_\_\_ Has been outside unsupervised
- \_\_\_ Was exposed to a cat with unknown FIV/FeLV status
- \_\_\_ Lives in a household with other cats of unknown FIV/FeLV status
- \_\_\_ Was in a fight with another cat
- \_\_\_ Was a stray or adopted from a shelter
- \_\_\_ Lives in a household with a recently adopted cat

**Has your cat had any of these signs of illnesses? Please check all that apply:**

- \_\_\_ Fever
- \_\_\_ Abscesses (infected wounds)
- \_\_\_ Gingivitis (bleeding gums)
- \_\_\_ Lethargy ("not doing well")
- \_\_\_ Weight loss
- \_\_\_ Swollen lymph nodes
- \_\_\_ Vomiting
- \_\_\_ Grooming changes
- \_\_\_ Diarrhea
- \_\_\_ Eating changes
- \_\_\_ Stomatitis (mouth sores)
- \_\_\_ Poor hair coat

Practice what's possible™

# Feline FIV/FeLV Test Selection

Important information about why you should consider having your cat tested for FIV and FeLV.

**Feline immunodeficiency virus (FIV) and feline leukemia virus (FeLV) can be fatal. In fact, FIV and FeLV infections are associated with illness and death of more cats than any other infectious agent.**

**There are no “sure signs” of either disease.**

**Diagnosis without testing is virtually impossible.**

**It’s a small price to pay to help keep your cat healthy.**

**FIV and FeLV are:**

- Highly contagious and transmitted from cat to cat
- Found in every region across the country
- Known to attack a cat’s immune system in a similar way
- More commonly found in sick cats
- FIV- and/or FeLV-positive cats may live healthy lives for years if detected and treated early

**The symptoms may take years to appear. Early symptoms are more subtle and may include changes in:**

- Grooming habits
- Sleeping habits
- Eating habits
- Behavior/mood
- Activity levels

**Good News!**

Fortunately, we have a test for both of these diseases. Testing can be done with **one blood sample—at one time—with results in 10 minutes.** That means you’ll have an answer during your cat’s visit.

**Please choose one of the following options to take an active role in your cat’s health.**

- Immediate FIV and FeLV method  
I would like to receive the results in 10 minutes on both of these highly contagious diseases. Cost: \_\_\_\_\_
- I decline the test, but have been advised of the risks of FIV and FeLV.

**Thank you!**

We will gladly review the test results with you. Here are examples of what the results will look like.



FIV/FeLV-negative



FIV-positive



FeLV-positive



FIV/FeLV-positive

Practice what’s possible™